

1
2 **FC-R-2016-17**

3 **CUMBERLAND FIRE DISTRICT**

4 **Resolution**

5 **RESOLUTION:** Authorize Chief Finlay to sign the contract with New England Epoxy
6 Flooring for \$7,700.00 to apply a coating to the floor at Station 4.

7 **BE IT RESOLVED BY THE CFD COMMITTEE AS FOLLOWS:**

8 WHEREAS: The apparatus floor at Station 4 is poured concrete over steel decking.

9 WHEREAS: The floor substructure has been reinforced with additional steel trusses
10 to allow for the weight to be redistributed.

11 WHEREAS: This redistribution of weight doesn't allow for the needed flexibility
12 causing cracks to develop. Water then seeps through the cracks into the
13 space below.

14 WHEREAS: As a solution New England Epoxy Flooring has recommended to first fill
15 the cracks and then coat the entire bay area. The coating will remain
16 flexible and has a 25-year guaranty.

17 **NOW, THEREFORE, BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS:**

18 RESOLVED: That Chief Finlay be authorized to sign the needed contract with New
19 England Epoxy Flooring of Dayville, CT for the amount of seven thousand
20 seven hundred (\$7,700.00)

21
22 Approved this 24th day of May, 2016

23 **PASSED 7-0**



24 Bruce A. Lemois, Chairman



25 Debra Auclair, Clerk