Cumberland Fire District

Cynthia Ouellette, District 3 Chair

Robert Archambault, District 1 Commissioner Dana Jones, District 4 Commissioner Paul Santoro, At Large Commissioner Timothy Hogan, District 2 Vice Chairman Vincent Picone, District 5 Commissioner James Scullin, At Large Commissioner

Agenda Regular Meeting of the Cumberland Fire District Tuesday, July 24th, 2018 7:00 pm Cumberland Town Hall, Everett "Moe" Bonner Jr. Town Council Chambers 45 Broad St, Cumberland, RI

- 1. CALL TO ORDER AND ROLL CALL
- 2. MOMENT OF SILENCE AND PLEDGE OF ALLEGIANCE
- 3. GENERAL ANNOUNCEMENTS
- 4. CONSENT AGENDA
 - a. Approval of Minutes from 06.26.2018 Meeting
 - b. Approval to rename Resolution FC-R-2018-14 to FC-R-2018-20
 - c. Approval to rename Resolution FC-R-2018-15 to FC-R-2018-21
 - d. Approval to rename Resolution FC-R-2018-16 to FC-R-2018-19
- 5. OLD BUSINESS
- 6. NEW BUSINESS
 - a. Chief's Report
 - i. June 2018
 - b. Resolution FC-R-2018-22- Authorizing the Business Manager to pay Ralco Equipment Company, Inc. an amount not to exceed \$6,811.67.

7. PUBLIC INPUT

8. ADJOURNMENT

This meeting location is accessible to the handicapped. Individuals requiring interpreter services for the hearing impaired or need additional information should notify Headquarters at (401) 658-0544 no less than 48 hours before the meeting.

Posted:

SOS Web Site Cumberland Town Hall (45 Broad Street) Cumberland Fire Department HQ (3502 Mendon Road) Posted a minimum of 48 hours prior to meeting

| 1 2 3 | PROPOSED MINUTES OF THE MEETING OF THE CUMBERLAND FIRE DISTRICT |
|--------------------------------------|--|
| 4 5 | June 26, 2018 |
| 6 7 | 7:00 PM |
| 8 9 10 11 12 13 14 | CUMBERLAND TOWN HALL EVERETT "MOE" BONNER, JR. TOWN COUNCIL CHAMBERS 45 BROAD STREET CUMBERLAND, RI 02864 |
| 15 | 1. CALL TO ORDER |
| 16 17 | The meeting was called to order at 7:00 p.m. by Chairperson Ouellette. |
| 18 19 20 | Present were Commissioners Archambault, Jones, Santoro, Hogan, Picone, Scullin, and Chairperson Ouellette. |
| 21 22 23 24 | Also present were Solicitor Morris, Chief Kenneth Finlay and Finance Director Karolyshyn. |
| 25 | 2. MOMENT OF SILENCE AND PLEDGE OF ALLEGIANCE |
| 26 | 3. SWEARING IN OF DISTRICT 5 COMMISSIONER VINCENT PICONE |
| 27 28 | Chairperson Ouellette swears in Vincent Picone as Commissioner for District 5. |
| 29 | 4. GENERAL ANNOUNCEMENTS |
| 30 31 32 | Chairperson Ouellette presents a plaque to former Commissioner Ron Champagne acknowledging his voluntarism and work for the Town and Fire District in many different capacities. |
| 33 34 | 5. ELECTION OF VICE CHAIR |

- 35 A. Chairperson Ouellette nominates Commissioner Timothy Hogan as Vice Chair. Commissioner Scullin nominates Commissioner Paul Santoro as 36 37 Vice Chair. 38 39 Roll Call Vote is taken: 40 41 Commissioner Archambault-Commissioner Hogan 42 Commissioner Jones-**Commissioner Hogan** 43 **Commissioner Santoro** Commissioner Santoro-44 Commissioner Hogan-**Commissioner Hogan** 45 Commissioner Picone-**Commissioner Hogan** Commissioner Scullin-**Commissioner Santoro** 46 47 Chairperson Ouellette-**Commissioner Hogan** 48 49 Results: Commissioner Hogan-5 50 Commissioner Santoro-2 51 52 Commissioner Hogan is declared Vice Chair of the Cumberland Fire 53 District. 54 6. APPOINTMENT OF CHAIRPERSON TO FINANCE SUBCOMMITTE/ 55 APPOINTMENT TO SUBCOMITTEES 56 57 Chairperson Ouellette announces that there is a vacancy in the Finance 58 Subcommittee. After verification from Solicitor Morris, Chairperson 59 Ouellette appoints Commissioner Archambault as Chairperson of the 60 Finance Subcommittee. Chairperson Ouellette appoints Commissioner Picone to the Finance Subcommittee and states that he would also be 61 62 appointed for the other subcommittees held former Commissioner 63 Champagne. 64 7. CONSENT AGENDA 65 A. Approval of Minutes from the May 22, 2018 Regular Meeting. 66 Motion to accept was made by Commissioner Archambault; 67 seconded by Commissioner Santoro. No discussion. Approval 68 of Minutes from the May 22, 2018 Regular Meeting passes 6-0 69 70 with Commissioner Picone abstaining. 71 8. OLD BUSINESS 72
- 74 There was no old business.

73

75 9 NEW BUSINESS

- 76 A. Chief's Report of May 2018 is read by Chief Finlay. The Chief 77 mentions that the month of May had fewer runs than previous 78 months. The Chief also states that the event scheduled for June 79 13th has been rescheduled for October 3, 2018 due to personnel 80 changes at FEMA. The Chief mentioned ladder testing, which had some issues that were being addressed. The Chief mentioned 81 82 Diamond Hill Park and the Monastery grounds, which are increasingly being used by walkers and BMX bikes and that the Fire 83 84 District is investigating easier access points for the Polaris Ranger 85 for anticipated injuries.
- 86 Commissioner Scullin states that he noticed that the Central Falls
 87 Ladder truck is back and that he thought it had failed a ladder truck
 88 test. The Chief responds that the City of Woonsocket repaired the
 89 Ladder truck and it did not fail the test.
- 90Chairperson Ouellette stated that the Chief has proposals from91solar panel companies and that he was requesting that a92subcommittee be assigned. Chairperson Ouellette asks the Chief if93the company would be amenable to a presentation at the next94meeting. The Chief responds yes and the Chairperson states she95would put them on next month's Agenda.
- 96 No Motion to accept the Chief's report was made.
- 97 B. Finance Report of May 2018. Finance Director Karolyshyn states 98 she sent out the report approximately a week ago and had not 99 received any questions. The Finance Director states that the Fire 100 District is over budget through the end of May in the amount of \$6,600.00. Chairperson Ouellette asks if there are any questions. 101 Commissioner Scullin asks a question regarding Webster Bank and 102 103 if it is the Tax Anticipation Note (TAN). The Finance Director responds correct. Commissioner Scullin mentions the amount of 104 105 \$300,000.00, and the Finance Director responds that the TAN is for 106 \$500,000.00 and that all the money had not been transferred by the end of May. \$200,000.00 had been transferred to date. Motion to 107 108 accept the Finance Report is made by Commissioner Santoro; seconded by Commissioner Jones. Vote taken. Motion to accept 109 110 Finance Report of May 2018 passes 6-0. The Solicitor tells the Chairperson that the count should be 7-0; the Chairperson says no, 111 112 that Commissioner Picone was not there at the time. The Solicitor 113 indicates that the vote should be 7-0.
- 114C. Presentation and discussion regarding financial status of merged115fire districts. Chairperson Ouellette states that she was anticipating

- 116this presentation and discussion. Commissioner Scullin makes a117Motion to table, as no information was included in the meeting118package; Commissioner Hogan seconds. Solicitor Morris states119that a vote is needed. A Role Call vote to table the presentation120and discussion is taken.
- 121 Commissioner Archambault-No 122 Commissioner Jones-No Commissioner Santoro-Yes 123 No 124 Chairperson Ouellette-125 Commissioner Hogan-Yes 126 **Commissioner Picone-**No
- 127 Commissioner Scullin-
- 128 Motion to table fails 4-3.
- 129 The presentation begins with Chairperson Ouellette stating that at the Town Council meeting to vote in the new member of the Fire 130 131 Committee, Commissioner Scullin brought up the point that he was very disturbed about the path that the Cumberland Fire Department 132 was going down and he felt the Fire Department was in grave 133 danger and he would like to see the Town take over the Committee. 134 which is something he has been advocating for a long time. The 135 Chairperson mentions the Valley Breeze article and a commentary 136 137 made by Tom Ward regarding the state of the Cumberland Fire Department. The Chairperson then states that it was a good thing 138 and everyone needs to take a look at where the Fire District has 139 been with dealing with the budgetary problems that the people may 140 have forgotten to take a look at where we have come from to where 141 142 we are right now. The Chairperson then states that she appouldes 143 Mrs. Karolyshyn and the Chief for doing a deep dive into the 144 finances of the four districts and the result of the merge to the point where the Fire District is at today. The Chairperson also states that 145 146 all the citizens that are present at the meeting and anyone who watches the video afterward, will feel much better about the state of 147 the finances of the Cumberland Fire Department and where the 148 Department is heading. Mrs. Karolyshyn begins the presentation 149 by stating she made a couple of minor corrections to the handout. 150 Mrs. Karolyshyn shows the tax rates for the fire districts for the 151 years 2013 through 2016. She explains the history for the 152 discrepancy of the tax rates between the fire districts. She states 153 that the merged Fire District now has an equal tax rate for the 154

Yes

155 different communities and that they all share the same fire services. 156 The comparison of the net assessed values between the former districts was shown. She states that there has been concern 157 158 regarding the financial states of the Fire District. She states that the Fire District is not near bankruptcy nor close to receivership; 159 160 that the Fire District is closely monitored by the Department of 161 Revenue, Division of Municipal Finance; and if the Fire District was 162 close to bankruptcy, the Division of Revenue would have stepped in by now; that the Fire District's cash flow has been tight, as the fire 163 164 district is a new entity and began with no reserves for unanticipated expenses. In addition to starting with no reserves, prior to the 165 merge, the former fire districts underfunded the 2015 budgets, 166 which was shown on the page titled, Pre-merge Fire Districts 167 Budget vs. Levy that indicated a cumulative deficit of \$531,723.00; 168 North Cumberland absorbed its deficit using surplus funds; Valley 169 170 Falls' deficit and Cumberland's deficits were absorbed by the new District as there were no surplus funds available. After the merge, 171 the new Fire District acquired expenses from the former districts; 172 173 North Cumberland had refinanced their fire truck loan in 2011 for 325,000.00 and returned that money to the taxpayers by lowering 174 175 the tax rate for the final year before the merge; they did not fully 176 fund their budget with tax dollars during the last year and used their 177 surplus funds created by the refinance to fund their final budget. When the new District begin on July 1, 2015, it became responsible 178 179 for payment of a truck loan in the amount of \$157, 911.00, which included interest. Cumberland Fire did not fully fund its final year 180 budget; hydrant fees were not included in their budget and had to 181 182 be paid from the new District. In Valley Falls' final year, they should 183 have set their tax rate for \$2.70 to fully fund its budget, the commissioners voted to set the tax rate of \$2.45, but was set at 184 \$2.34, which created a budget short fall that needed to be absorbed 185 by the new District, which resulted in a loss of \$678,000.00 for fiscal 186 year 2015, as noted in the audit report. Cumberland Hill did not 187 fully fund its retiree healthcare for 8 retirees. The retiree 188 189 healthcare account transferred to the new District, but it only funded 190 approximately 3 years, and the new District will need to fund this each year; it is a diminishing number and as the retirees reach 191 192 Medicare status, the premiums will be significantly lower. 193 To show a significant savings from merging the districts, the

Finance Director took the last 4 budget reports from the previous districts and created a budget comparison graft and added a conservative 4% increase to each budget for the next 4 years; she noted that Valley Falls and North Cumberland were sharing a Fire Chief; Cumberland Fire did not have a Fire Chief, their Deputy Chief was acting Chief prior to the merge. Mrs. Karolyshyn then showed a Fire District Budget Comparison graft which showed a bottom line 201 estimated year to date savings of \$3,729,834.91. The Finance 202 Director showed a Tax Rate Comparison and reviewed the 203 information. She stated that the Fire District Charter does not allow 204 for more than a 4% increase to the tax levy each year; the tax rate was set for \$2.14 for the first year, which did not include a line item 205 206 for reserves; the tax rate was lowered the next year without a line 207 item for reserves, which resulted in very little room in future budgets 208 to create a reserve account. Mrs. Karolyshyn stated that the 209 Auditor General has advised to increase the levy by 4% for at least 210 the next 5 years to pay back last year's deficit and create a reserve account for unanticipated expenses. Since the District experienced 211 212 a deficit last year along with the delinquent taxpayers, the District 213 needed to obtain a TAN to assist with cash flow until the District 214 began to receive the 2018 tax payments. The District has begun to 215 collect the 2018 taxes and expects to collect \$1.5 million by the end 216 of June and anticipate over 50% of the total billed by July 15th. The TAN will be repaid by July 11th. The Finance Director mentioned 217 that she saw comments stating that the Fire District should be 218 219 audited. Her response to those comments was that the Auditor 220 General in 2015 began to oversee all fire districts; that the 221 Cumberland Fire District is required to file quarterly reports, and that 222 the Auditor General reviews the Fire District's monthly meetings and 223 minutes: that the Finance Director and Chief have met with the 224 Auditor General and his staff several times throughout the last 3 225 vears and that the Auditor General has been available with advice 226 when the Finance Director had questions. The Finance Director 227 states that the Fire District is mandated to have annual audits 228 conducted by an outside firm, and the audit reports can be found on 229 the Cumberland Fire District website.

- 230 Chief Kenneth Finlay reviews expenses that occurred before the districts were merged and that were put in the budget the first year 231 232 after the merge. The Chief states that in fiscal year 2018 he was 233 accused of not funding the overtime budget properly. His response 234 was that fiscal year 2019's budget has the appropriate overtime 235 budget; that the 11 injuries in the previous year were for 11 different 236 causes. The Chief stated that fuel prices have started to increase; 237 that there have been unforeseen equipment repairs; that the Fire 238 Department assists with rescue calls and that 7 of the 11 injuries 239 were due to assisting rescue calls; and that the Fire Department 240 does not receive any reimbursement for those rescue calls. The 241 Chief stated that the negative comments take effect on the moral of 242 the Department, which he has had to deal with on a daily basis.
- 243The Chairperson states that she will take questions from the244Commissioner first; Commissioner Picone asks the Chief what245efforts have been made to address the injuries and the resulting

246overtime. The Chief responds that the fire personnel have been247very good with limiting needed vacation time; and very cautious with248use of sick time; and that 50 hours of overtime is offset each week249by one of the Deputies in a daytime spot; unfortunately the work250that Deputy had been assigned to is now delegated to the Chief and251one of the 2 other Deputies that have daytime assignments.

- 252 Commissioner Scullin states his opinion that the District is not in 253 good shape; that the Department is in no financial shape to purchase new apparatus and that the apparatus will continue to 254 breakdown; that borrowing 1/2 a million dollars in TANs will most 255 256 likely become an annual occurrence; administrative costs are very 257 high. The Finance Director responds that former fire districts did use TANs; that the merged District is a new business that does 258 259 have a plan in place; and is working with the Auditor General; is working on establishing a reserve account; and that the District is 260 not in dire straits. 261
- 262Commissioner Santoro asks the Finance Director if \$200,000.00263has been put into the budget from the TAN. The Finance Director264responds that he is correct; and that the \$200,000.00 is a note265payable on the Financial Report; and that the \$200,000.00 was266used to pay bills.
- 267 Commissioner Santoro asks the Finance Director if one of the past year's tax rate was falsely set. The Finance Director responds no. 268 Commissioner Santoro states that a previous year's budget was 2 269 270 cents lower than the previous year; that a former commissioner made that happen; and that in the following year there was a 271 272 surplus that could have been used. The Finance Director states 273 that there was no surplus money. Commissioner Santoro states 274 that a former chairman had set up the current fiscal problems of the District. Chairperson Ouellette responds to Commissioner Santoro 275 276 remarks.
- 277 Commissioner Santoro states that there was only one person who 278 negotiated the current CBA, which was voted and approved by 7 279 people, and is very costly to the District. Commissioner Santoro states that the new CBA is up for negotiation this fall, and he hoped 280 281 to be re-elected and can work on that negotiation and concessions that have to be made. Commissioner Santoro again states that it 282 283 was only one person who negotiated the current CBA. The Chairperson states that she was on the subcommittee for the CBA 284 285 negotiation. Commissioner Santoro disagrees with her; the 286 Chairperson states again she was on the subcommittee. Commissioner Santoro states he can show her the minutes; that 287 288 she was not on the subcommittee; and that there was only one

person on the committee who negotiated the current CBA, the
Chief's contract and Diane's contract, and that was the Chairperson
at that time. The Finance Director responds to the previous
statement of Commissioner Santoro regarding the 2-cent tax rate
drop, which was due to the fact that the assessed values increased,
and every time the assessed values increase, the tax rate drops.

- 295 Ron Champagne who lived at 200 Heroux Boulevard states that Mr. Santoro is 100 % wrong: that there was a subcommittee of 4 people 296 297 who negotiated the contract, which included the former 298 Chairperson, the current Chairperson, himself, and Mr. Motta; that 299 they worked morning, day and night; that there were many meetings; and that there are multiple considerations that must be 300 considered in negotiations and preparing a contract. Mr. 301 302 Champagne continues with remarks concerning the former districts, 303 the merge of the former districts and the current fiscal position of the Fire District. 304
- 305Ted Vecchio of Ralco Equipment Company who lives at 10 Ralco306Way states that he and the Chief work very closely together to fix307and repair the equipment. Commissioner Jones asks a question308regarding engines to which Mr. Vecchio responds. Commissioner309Santoro thanks Mr. Vecchio for the discount he gives to the Fire310District on labor costs.
- 311 Ed Leblanc of 3802 Diamond Hill Road asks if the 4% was a deep 312 statistical analysis. The Finance Director responds no, it was not a deep statistical analysis that the District has increased its budget an 313 average of 4% every year since the merge; and that 4% is the cap 314 315 levy. Mr. Leblanc asks if the 4% levy the Auditor General 316 recommended for the next 5 years is for the reserve account, or for the overall budget. The Finance Director explains that the District 317 is subject to the 4% tax cap on the levy; basically it is 4% on the 318 overall tax. Mr. Leblanc asks whether the 11 injuries were distinct 319 injuries to which the Chief responds yes and gives a few examples. 320 Mr. Leblanc asks the Chief what proactive actions have been taken. 321 322 if any, to improve the situation. The Chief responds that each station has weight rooms; most of the firefighters participate in 323 physical fitness programs when on duty; that during the winter they 324 325 carry sand for icy conditions; that all the injuries were on a monthly review; and as of date of the meeting, there were 3 firefighters 326 remaining out of work. 327
- 328Bruce Lemois of 20 Melody Lane speaks about the history of the329fire districts. Mr. Lemois states that the Auditor General has been330involved with the Fire District since 2015 and they do not put things331in writing. Mr. Lemois spoke about the committee that worked on

| 332 333 334 335 336 | the contracts; and the rules and guidelines received from the Legislation regarding the merger that was mandated to be followed. Mr. Lemois states that the Fire District is in good hands with good people that include the firefighters, the admins, a Chief, and 7 Board members. |
|---|--|
| 337 338 339 340 | Philip Koutsogiane of 3 Old Hickory Drive states that his belief is that the cost of personnel is higher than 82% of the budget; and that he disagreed with Mr. Lemois' statement regarding savings, and that he had his own figures. |
| 341 342 | Chief Finlay states that the State mandated the merger through Senate #0958. |
| 343 344 345 346 347 348 | D. Resolution FC-R-2018-16 Authorizing the Business Manager to pay S & D Road Service, Inc., an amount not to exceed \$2,871.34 is read by Chairperson Ouellette. Commissioner Scullin makes a Motion to accept Resolution FC-R-2018-16; seconded by Commissioner Archambault. Vote was taken. Resolution FC-R- 2018-16 passes 7-0. |
| 349 350 351 352 353 354 | E. Resolution FC-R-2018-17 Authorizing the Business Manager to pay Ralco Equipment Company an amount not to exceed \$4,226.73 is read by Chairperson Ouellette. Commissioner Scullin makes a Motion to accept Resolution FC-R-2018-17; seconded by Commissioner Archambault. Vote was taken. Resolution FC-R- 2018-17 passes 7-0. |
| 355 356 357 358 359 360 361 | F. Resolution FC-R-2018-18 Authorizing the abatement of certain taxes for properties owned by various owners for various reasons per attached report is read by Chairperson Ouellette. Commissioner Archambault makes a Motion to accept Resolution FC-R-2018-18; seconded by Commissioner Scullin. Vote was taken. Resolution FC-R-2018-18 passes 7-0. |
| 362 | 10 PUBLIC INPUT |
| 363 364 365 | Chairperson Ouellette thanks the Finance Director and the Chief for their work on the presentation. |
| 366 | 11 ADJOURNMENT |
| 367 368 369 370 371 | Motion to adjourn is made by Commissioner Scullin; seconded by Commissioner Santoro. Vote was taken. Motion to adjourn passes 7-0. |

| 1 | FC-R-2018-20 |
|----------------------------------|--|
| 2 | CUMBERLAND FIRE DISTRICT |
| 3 | Resolution |
| 4 | |
| 5 6 7 | RESOLUTION : Hiring Patrick Baranski as the Tax Office Supervisor at an annual salary of \$40,000.00. |
| 7 8 9 | WHEREAS: The Cumberland Fire Committee is in need a tax office supervisor. |
| 10 11 12 13 14 | WHEREAS: The position was posted on Craigslist.com and Indeed.com websites, resulting in 50 resumes submitted. An interview committee consisting of Commissioner Santoro, Diane Karolyshyn, and Elizabeth Markey interviewed 7 candidates for the position. |
| 15 16 17 | WHEREAS: The interview committee recommends Patrick Baranski for the position. |
| 18 19 20 | WHEREAS: Patrick Baranski will work a 35-hour week and will otherwise be provided benefits in accordance with CFD Resolution 2017-35. |
| 21 | BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS: |
| 22 | |
| 23 | RESOLVED: |
| 24 25 26 27 28 29 | Section 1. The Cumberland Fire Committee hereby hires Patrick Baranski as tax office supervisor at an annual salary of \$40,000.00 for a 35-hour work week and will be provided benefits in accordance with CFD Resolution 2017-35. |
| 30 | Date adopted: May 22, 2018 |
| 31 | |
| 32 | |
| 33 | |
| 34 | Cynthia Ouellette, Chairperson |
| 35 | |
| 36 | |
| 37 | PASSED: |
| 38 | YAY: NAY: |

| | FC-R-2018-14 |
|----------|---|
| 2 | CUMBERLAND FIRE DISTRICT |
| | Resolution |
| 3 | Resolution |
| 4 | RESOLUTION: Hiring Patrick Baranski as the Tax Office Supervisor at an |
| 5 | annual salary of \$40,000.00. |
| 6 7 | |
| 8 | WHEREAS: The Cumberland Fire Committee is in need a tax office supervisor. |
| 9 | TELEBRATE THE SUBJECTION OF SUBTRICTION OF SUBTRICTION OF SUBJECT |
| 10 | WHEREAS: The position was posted on Craigslist.com and Indeed.com websites, |
| 11 | resulting in 50 resumes submitted. An interview committee consisting of |
| 12 | Commissioner Santoro, Diane Karolyshyn, and Elizabeth Markey interviewed 7 |
| 13 | candidates for the position. |
| 14 | |
| 15 | WHEREAS: The interview committee recommends Patrick Baranski for the |
| 16 | position. |
| 17 | WHEREAS: Patrick Baranski will work a 35-hour week and will otherwise be |
| 18 19 | provided benefits in accordance with CFD Resolution 2017-35. |
| 20 | provided benefits in accordance with orb Resolution 2017-55. |
| 21 | BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS: |
| 22 | |
| 23 | RESOLVED: |
| 24 | |
| 25 | Section 1. The Cumberland Fire Committee hereby hires Patrick Baranski as |
| 26 | tax office supervisor at an annual salary of \$40,000.00 for a 35-hour work |
| 27 | week and will be provided benefits in accordance with CFD Resolution |
| 28 | 2017-35. |
| 29 | Data adapted: May 22, 2019 |
| 30 | Date adopted: May 22, 2018 |
| 31 32 | $() \land () \land$ |
| 33 | in the Motelter |
| 34 | Cynthia Ouellette, Chairperson |
| 35 | |
| 36 | |
| 37 | PASSED: |
| 38 | YAY: NAY: |

| | | FC-R-2018-21 |
|----------------|---------------|--|
| | | CUMBERLAND FIRE DISTRICT |
| | | Resolution |
| | | Resolution |
| <u>RESOLU</u> | <u>ΓΙΟΝ</u> : | Authorizing the Business Manager to pay S & D Road Service, Inc. an amount not to exceed \$5,619.40 |
| WHEREA | <u>\S:</u> | S & D Road Service, Inc. has made repairs to Engine 5. |
| WHEREA | <u>\S:</u> | All repairs have been made with the approval of the Chief. |
| NOW, | THEREFC | DRE, BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS: |
| <u>RESOLVE</u> | <u>:D:</u> | The Business Manager is authorized to pay S & D Road Service, Inc. an amount not to exceed \$5,619.40 |
| Voted or | n this 22th | n day of May, 2018 |
| | | |
| | | |
| | | Cynthia Ouellette, Chairperson |
| PASSED: | | |
| YAY: | NAY: | |

| v | | FC-R-2018-15 |
|----------|-------------------|---|
| 2 | | CUMBERLAND FIRE DISTRICT |
| 3 | | Resolution |
| 4 | | |
| 5 | RESOLUTION: | Authorizing the Business Manager to pay S & D Road Service, |
| 6 | | Inc. an amount not to exceed \$5,619.40 |
| 7 | | |
| 8 | WHEREAS: | S & D Road Service, Inc. has made repairs to Engine 5. |
| 9 | | |
| 10 | WHEREAS: | All repairs have been made with the approval of the Chief. |
| 11 | | |
| 12 | NOW, THERE | FORE, BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS |
| 13 | | FOLLOWS: |
| 14 | 55661JE5. | |
| 15 | RESOLVED: | The Business Manager is authorized to pay S & D Road Service, |
| 16 | | Inc. an amount not to exceed \$5,619.40 |
| 17 18 | | |
| 18 19 | Voted on this 2 | 2th day of May, 2018 |
| 20 | Voted off this 22 | |
| 20 | | |
| 22 | | Visit MA Are Miss |
| 23 | | Malla Malla S |
| 24 | | Cynthia Ouellette, Chairperson |
| 25 | | |
| 26 | PASSED: | |
| 27 | YAY: NA | Y: |
| | | |

-

| 1 | | FC-R-2018-19 |
|----------------------|---------------------|---|
| 2 | | CUMBERLAND FIRE DISTRICT |
| 3 | | Resolution |
| 4 5 6 | RESOLUTION : | Authorizing the Business Manager to pay S&D Road Service, Inc. an amount not to exceed \$2,871.34. |
| 7 8 9 | WHEREAS: | S&D Road Service, Inc. has made repairs to Engine 4. |
| 10 | WHEREAS: | All repairs have been made with the approval of the Chief. |
| 11 12 13 | NOW, THEREF | ORE, BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS: |
| 14 15 16 17 | Section 1: | The Business Manager is authorized to pay S&D Road Service, Inc. an amount not to exceed \$2,871.34. |
| 18 19 20 21 | Voted on this 26 | 6 th day of June, 2018 |
| 22 23 24 | | Cynthia Ouellette, Chairperson |
| 25 26 | | |
| 27 28 | PASSED: YAY: NA | Y: |

| 1 | | FC-R-2018-16 |
|----------|---|---|
| 2 | | CUMBERLAND FIRE DISTRICT |
| 3 | | Resolution |
| 4 | | |
| 5 | RESOLUTION: | Authorizing the Business Manager to pay S&D Road Service, |
| 6 | | Inc. an amount not to exceed \$2,871.34. |
| 7 | | |
| 8 | WHEREAS: | S&D Road Service, Inc. has made repairs to Engine 4. |
| 9 | 5. 51. 6. 5. F. 1922, 555, 5222, 61, 456 | |
| 10 | WHEREAS: | All repairs have been made with the approval of the Chief. |
| 11 12 | | ORE, BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS: |
| 13 | ivovy i i i i i i i i i i i i i i i i i i i | SIL, BETT REJULTED BY THE COMBERGAND FIRE DISTRICT AS POLLOWS. |
| 14 | Section 1: | The Business Manager is authorized to pay S&D Road Service, |
| 15 | | Inc. an amount not to exceed \$2,871.34. |
| 16 | | |
| 17 | | |
| 18 | Voted on this 26 | th day of June, 2018 |
| 19 | | |
| 20 | | In the A My Mitter |
| 21 | | Vynyman Commen |
| 22 | | Curthin Ovellette, Chaimanne |
| 23 24 | | Cynthia Ouellette, Chairperson |
| 24 | | |
| 25 | | |
| 27 | PASSED: | |
| 28 | YAY: 7 NAY | ·: 8 |
| | ā | |



Kenneth A. Finlay Chief of Department kfinlay@cumberlandfire.org CUMBERLAND FIRE DISTRICT

Headquarters Station Four 3502 Mendon Road - Cumberland, RI 02864 Phone: 401-658-0544 Fax: 401-658-2198 www.cumberlandfire.org

CHIEFS REPORT FOR JUNE 2018

Board of Commissioners Cumberland Fire District JULY 10, 2018

Board Members;

Please excuse my attendance at tonight's meeting as I am on vacation with my family, Deputy Nicholas Anderson will be handling questions that arise.

Attached are the monthly reports of activity for the month of JUNE, 2018. The run report shows 356 response calls for the month and broken down by category. Also accompanying this report is a six month run total, showing 2370, or a four percent increase in responses from the same 2017 time frame.

The Month of June starts the summer season for many outdoor festivals in town. The applications for use for the grounds have to be reviewed and accepted before permits and licenses are issued. During the month we inspected and visited six sites for compliance for special events, along with the process of inspecting the three fireworks tents that applied for event licenses in town. The resale inspections continue at a high rate, combined with new construction occupancy inspections.

One of the events, in coordination with Mercymount School, is Fire Chief for a day. This years participant was introduced to shift 1, and visited the four stations, to view the apparatus and station life. The event was a three hour process, accompanied by myself. The winner of the bid is a Town resident and was accompanied by her father and a friend who became aware of the role the Fire Department has in the community. The engine companies also participated field days at the elementary schools that invited us.

The Technical review committee of the Town Planning department has provided us participation in the projects being proposed for the Town. This provides the builder with insight to the Fire Department needs, pre construction, so adjustments, if any can be accomplished. There are a few large scale developments in the procedure stage.

I am grateful to all involved that had a role in minimizing the deficit in the fy 18 budget. The Finance Directors report will provide for the unaudited amount. The fy 19 budget will provide for the operation of the department and will put the district in a positive note. Hard decisions as to what has been provided for and what will be provided for will certainly cause management issues that will be explained.

The Sunwatt solar company that I wished for the board to hear from has received a contract in the Town of Narragansett as the solar installer and could not attend tonight's meeting. I will attempt to schedule them for the August meeting.

Sincerely,

Kanneth A. Junlay

Chief Kenneth A. Finlay Cumberland Fire Department


Cumberland Fire Dept.

Cumberland, RI

This report was generated on 7/10/2018 8:18:30 AM



Breakdown by Major Incident Types for Date Range Zone(s): All Zones | Start Date: 06/01/2018 | End Date: 06/30/2018



| MAJOR INCIDENT TYPE | #INCIDENTS | % of TOTAL |
|---|-------------------|------------|
| Fires | 9 | 2.53% |
| Overpressure rupture, explosion, overheat - no fire | 2 | 0.56% |
| Rescue & Emergency Medical Service | 265 | 74.44% |
| Hazardous Condition (No Fire) | 15 | 4.21% |
| Service Call | 25 | 7.02% |
| Good Intent Call | 14 | 3.93% |
| False Alarm & False Call | 26 | 7.30% |
| TOTAL | 356 | 100.00% |

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.



| 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 4 1 4 1 1 251 12 1 1 1 1 4 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1.12% 0.28% 1.12% 0.28% 0.28% 70.51% 3.37% 0.28% 0.28% 0.28% 0.28% 1.12% |
|--|--|---|
| 116 - Fuel burner/boiler malfunction, fire confined 142 - Brush or brush-and-grass mixture fire 210 - Overpressure rupture from steam, other 251 - Excessive heat, scorch burns with no ignition 321 - EMS call, excluding vehicle accident with injury 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 111 - Gasoline or other flammable liquid spill 112 - Gas leak (natural gas or LPG) 122 - Chemical spill or leak | 4 1 1 251 12 1 1 1 1 4 1 | 1.12% 0.28% 0.28% 70.51% 3.37% 0.28% 0.28% 0.28% |
| 210 - Overpressure rupture from steam, other 251 - Excessive heat, scorch burns with no ignition 321 - EMS call, excluding vehicle accident with injury 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 1 1 251 12 1 1 1 1 4 1 | 0.28% 0.28% 70.51% 3.37% 0.28% 0.28% 0.28% |
| 251 - Excessive heat, scorch burns with no ignition 321 - EMS call, excluding vehicle accident with injury 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 1 251 12 1 1 1 1 4 1 | 0.28% 70.51% 3.37% 0.28% 0.28% 0.28% |
| 251 - Excessive heat, scorch burns with no ignition 321 - EMS call, excluding vehicle accident with injury 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 251 12 1 1 1 1 4 1 | 70.51% 3.37% 0.28% 0.28% 0.28% |
| 321 - EMS call, excluding vehicle accident with injury 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 12 1 1 1 1 4 1 | 70.51% 3.37% 0.28% 0.28% 0.28% |
| 322 - Motor vehicle accident with injuries 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 12 1 1 1 1 4 1 | 3.37% 0.28% 0.28% 0.28% |
| 324 - Motor vehicle accident with no injuries. 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 1 1 4 1 | 0.28% 0.28% |
| 353 - Removal of victim(s) from stalled elevator 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 1 4 1 | 0.28% |
| 411 - Gasoline or other flammable liquid spill 412 - Gas leak (natural gas or LPG) 422 - Chemical spill or leak | 4 1 | |
| 112 - Gas leak (natural gas or LPG) 122 - Chemical spill or leak | 1 | |
| 122 - Chemical spill or leak | | |
| | | 0.28% |
| 440 - Electrical wiring/equipment problem, other | 2 | 0.56% |
| 441 - Heat from short circuit (wiring), defective/worn | - 1 | 0.28% |
| 442 - Overheated motor | 2 | 0.56% |
| 444 - Power line down | 4 | 1.12% |
| 500 - Service Call, other | 1 | 0.28% |
| 511 - Lock-out | 2 | 0.56% |
| 512 - Ring or jewelry removal | 1 | 0.28% |
| 522 - Water or steam leak | 1 | 0.28% |
| 531 - Smoke or odor removal | 1 | 0.28% |
| 551 - Assist police or other governmental agency | 2 | 0.56% |
| 552 - Police matter | 1 | 0.28% |
| 553 - Public service | 5 | 1.40% |
| 554 - Assist invalid | 7 | 1.97% |
| 561 - Unauthorized burning | 2 | 0.56% |
| 571 - Cover assignment, standby, moveup | 2 | 0.56% |
| 600 - Good intent call, other | 3 | 0.84% |
| 511 - Dispatched & cancelled en route | 7 | 1.97% |
| 622 - No incident found on arrival at dispatch address | 1 | 0.28% |
| 651 - Smoke scare, odor of smoke | 2 | 0.56% |
| 671 - HazMat release investigation w/no HazMat | 1 | 0.28% |
| 700 - False alarm or false call, other | 1 | |
| | And and a second s | 0.28% |
| 730 - System malfunction, other 731 - Sprinkler activation due to malfunction | 1 | |
| | 1 | 0.28% |
| 733 - Smoke detector activation due to malfunction | 4 | 1.12% |
| 735 - Alarm system sounded due to malfunction | 3 | 0.84% |
| 736 - CO detector activation due to malfunction | 2 | 0.56% |
| 740 - Unintentional transmission of alarm, other | 4 | 1.12% |
| 741 - Sprinkler activation, no fire - unintentional | 1 | 0.28% |
| 743 - Smoke detector activation, no fire - unintentional | 6 | 1.69% |
| 745 - Alarm system activation, no fire - unintentional TOTAL INCIDENTS | 3 :: 356 | 0.84% 100.00% |




Cumberland Fire Dept.

Cumberland, RI


This report was generated on 7/10/2018 8:19:05 AM



Breakdown by Major Incident Types for Date Range Zone(s): All Zones | Start Date: 01/01/2018 | End Date: 06/30/2018



| MAJOR INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|---|-------------|------------|
| Fires | 63 | 2.66% |
| Overpressure rupture, explosion, overheat - no fire | 5 | 0.21% |
| Rescue & Emergency Medical Service | 1647 | 69.49% |
| Hazardous Condition (No Fire) | 72 | 3.04% |
| Service Call | 207 | 8.73% |
| Good Intent Call | 112 | 4.73% |
| False Alarm & False Call | 248 | 10.46% |
| Severe Weather & Natural Disaster | 13 | 0.55% |
| Special Incident Type | 3 | 0.13% |
| TOTAL | 2370 | 100.00% |





| Detailed Breakdow | | |
|--|-------------|------------|
| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
| 100 - Fire, other | 2 | 0.08% |
| 111 - Building fire | 14 | 0.59% |
| 112 - Fires in structure other than in a building | 1 | 0.04% |
| 113 - Cooking fire, confined to container | 24 | 1.01% |
| 116 - Fuel burner/boiler malfunction, fire confined | 2 | 0.08% |
| 118 - Trash or rubbish fire, contained | 2 | 0.08% |
| 130 - Mobile property (vehicle) fire, other | 1 | 0.04% |
| 131 - Passenger vehicle fire | 6 | 0.25% |
| 140 - Natural vegetation fire, other | 1 | 0.04% |
| 142 - Brush or brush-and-grass mixture fire | 5 | 0.21% |
| 150 - Outside rubbish fire, other | 2 | 0.08% |
| 151 - Outside rubbish, trash or waste fire | 1 | 0.04% |
| 162 - Outside equipment fire | 1 | 0.04% |
| 70 - Cultivated vegetation, crop fire, other | 1 | 0.04% |
| 210 - Overpressure rupture from steam, other | 1 | 0.04% |
| 251 - Excessive heat, scorch burns with no ignition | 4 | 0.17% |
| 311 - Medical assist, assist EMS crew | 64 | 2.70% |
| 320 - Emergency medical service, other | 4 | 0.17% |
| 321 - EMS call, excluding vehicle accident with injury | 1477 | 62.32% |
| 322 - Motor vehicle accident with injuries | 59 | 2.49% |
| 23 - Motor vehicle/pedestrian accident (MV Ped) | 3 | 0.13% |
| 24 - Motor vehicle accident with no injuries. | 35 | 1.48% |
| 353 - Removal of victim(s) from stalled elevator | 3 | 0.13% |
| 62 - Ice rescue | 1 | 0.04% |
| 81 - Rescue or EMS standby | 1 | 0.04% |
| 00 - Hazardous condition, other | 2 | 0.08% |
| 11 - Gasoline or other flammable liquid spill | 4 | 0.17% |
| 12 - Gas leak (natural gas or LPG) | 13 | 0.55% |
| 13 - Oil or other combustible liquid spill | 1 | 0.04% |
| 22 - Chemical spill or leak | 2 | 0.08% |
| 24 - Carbon monoxide incident | 18 | 0.76% |
| 40 - Electrical wiring/equipment problem, other | 10 | 0.42% |
| 41 - Heat from short circuit (wiring), defective/worn | 1 | 0.04% |
| 42 - Overheated motor | 4 | 0.17% |
| 44 - Power line down | 12 | 0.51% |
| 45 - Arcing, shorted electrical equipment | 5 | |
| 00 - Service Call, other | | 0.21% |
| 10 - Person in distress, other | 7 | 0.30% |
| 11 - Lock-out | | 0.13% |
| 12 - Ring or jewelry removal | 24 | |
| 20 - Water problem, other | 2 | 0.08% |
| 20 - Water problem, other 21 - Water evacuation | 31 | 1.31% |
| 22 - Water or steam leak | 18 | 0.76% |
| 22 - Water or steam leak 31 - Smoke or odor removal | 13 | 0.55% |
| | 2 | 0.08% |
| 50 - Public service assistance, other | 12 | 0.51% |
| 51 - Assist police or other governmental agency | 6 | 0.25% |
| 52 - Police matter | 4 | 0.17% |
| 53 - Public service | 20 | 0.84% |
| 54 - Assist invalid | 44 | 1.86% |
| 55 - Defective elevator, no occupants | 2 | 0.08% |
| 61 - Unauthorized burning | 5 | 0.21% |
| 71 - Cover assignment, standby, moveup | 14 | 0.59% |
| 00 - Good intent call, other | 21 | 0.89% |
| 11 - Dispatched & cancelled en route | 56 | 2.36% |
| 22 - No incident found on arrival at dispatch address | 17 | 0.72% |

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.



EMERGENCY REPORTING emergencyreporting.com Doc Id: 553 Page # 2 of 3

| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|--|-------------|------------|
| 650 - Steam, other gas mistaken for smoke, other | 2 | 0.08% |
| 651 - Smoke scare, odor of smoke | 12 | 0.51% |
| 652 - Steam, vapor, fog or dust thought to be smoke | 1 | 0.04% |
| 653 - Smoke from barbecue, tar kettle | 1 | 0.04% |
| 671 - HazMat release investigation w/no HazMat | 2 | 0.08% |
| 700 - False alarm or false call, other | 3 | 0.13% |
| 710 - Malicious, mischievous false call, other | 2 | 0.08% |
| 713 - Telephone, malicious false alarm | 4 | 0.17% |
| 715 - Local alarm system, malicious false alarm | 2 | 0.08% |
| 730 - System malfunction, other | 11 | 0.46% |
| 731 - Sprinkler activation due to malfunction | 5 | 0.21% |
| 733 - Smoke detector activation due to malfunction | 30 | 1.27% |
| 734 - Heat detector activation due to malfunction | 4 | 0.17% |
| 735 - Alarm system sounded due to malfunction | 19 | 0.80% |
| 736 - CO detector activation due to malfunction | 15 | 0.63% |
| 740 - Unintentional transmission of alarm, other | 26 | 1.10% |
| 741 - Sprinkler activation, no fire - unintentional | 10 | 0.42% |
| 743 - Smoke detector activation, no fire - unintentional | 62 | 2.62% |
| 744 - Detector activation, no fire - unintentional | 12 | 0.51% |
| 745 - Alarm system activation, no fire - unintentional | 34 | 1.43% |
| 746 - Carbon monoxide detector activation, no CO | 9 | 0.38% |
| 312 - Flood assessment | 1 | 0.04% |
| 313 - Wind storm, tornado/hurricane assessment | 12 | 0.51% |
| 900 - Special type of incident, other | 1 | 0.04% |
| 911 - Citizen complaint | 2 | 0.08% |
| TOTAL INCIDENTS: | 2370 | 100.00% |



| 1 | | FC-R-2018-22 |
|----------------------|---------------------|--|
| 2 | | CUMBERLAND FIRE DISTRICT |
| 3 | | Resolution |
| 4 5 6 | RESOLUTION : | Authorizing the Business Manager to pay Ralco Equipment Company, Inc. an amount not to exceed \$6,811.67. |
| 7 8 9 | WHEREAS: | S&D Road Service, Inc. has made repairs to Engine 1. |
| 10 | WHEREAS: | All repairs have been made with the approval of the Chief. |
| 11 12 13 | NOW, THEREF | ORE, BE IT RESOLVED BY THE CUMBERLAND FIRE DISTRICT AS FOLLOWS: |
| 14 15 16 17 | Section 1: | The Business Manager is authorized to pay Ralco Equipment Company, Inc. an amount not to exceed \$6,811.67. |
| 18 19 20 21 | Voted on this 24 | th day of July, 2018 |
| 22 23 24 | | Cynthia Ouellette, Chairperson |
| 25 26 | | |
| 27 28 | PASSED: YAY: NA | Y: |

INVOICE

9688

Org. Est. # 016417 RI Inspect Station 155C ralcotruck45@gmail.com

INVOICE

Date: 07/02/2018

| Cumberland Fire Department - | Chief Finla | V | 2004 Pierce - Fire Engine Apparatus - Cummins ISL | | | | | | |
|---|-------------|----------|---|---|--|--|--|--|--|
| 3502 Mendon Road | | J | Lic # : 1212 Odometer In : 96507 | | | | | | |
| Cumberland, RI 02864 | | | | Unit # : Engine 1 | | | | | |
| Office 401-658-0544 Cellula | r 401-474-0 | 0314 Fin | | VIN #: 4P1CT02A2 4A004083 | | | | | |
| Part Description / Number | Qty | Sale | Ext | Labor Description Ext | | | | | |
| Power Lube 05006 | 1.00 | 7.53 | 7.53 | Shoes) | | | | | |
| Cut Off Wheel 01989 | 2.00 | 11.93 | 23.86 | remove drums. Remove an wheels and thes. Back of brakes and remove drums. Remove brake shoes and hardware. Clean and | | | | | |
| HD Brake Chamber 30/36 <i>MA3036</i> | 2.00 | 289.94 | 579.88 | inspect spider, s-cam shafts, seals, and brake chambers. Clean out all ABS sensors and adjust if equipped. Install new sets of premium brake shoes and linings. Install new spring roller hardware kits and | | | | | |
| HD Washer <i>8FW58F</i> | 4.00 | 2.86 | 11.44 | lubricate pivot points. Install drums and secure. Install wheels and tires. Check and top off rear end level, clean vent. Adjust brakes | | | | | |
| LOCK NUT 8SLN58C | 4.00 | 4.21 | 16.84 | and lubricate system. Remove from stands and test operation. ADD: Press out and remove steel pivot bushings and replace with new units. | | | | | |
| HD Steel 45 Deg Elbow 384538S | 2.00 | 9.76 | 19.52 | ADD: Remove and replace original brake drums with new upgraded heavy duty units. | | | | | |
| Teflon Tape 06195 | 1.00 | 6.79 | 6.79 | air. | | | | | |
| Hose Divider/Holder 11549 | 4.00 | 7.83 | 31.32 | chamber assemblies. Cut new chamber push rod to length. Inst jam nut and yoke. Transfer fittings to new chambers. Install on | | | | | |
| HD Yoke Assy <i>KN36470</i> | 2.00 | 20.58 | 41.16 | jam nut and yoke. Transfer fittings to new chambers. Install on truck and secure with new retainers Reconnect yoke to slack adjuster with clevis pin and retainer pins. Reconnect air lines and | | | | | |
| Clevis Pin | 2.00 | 9.67 | 19.34 | | | | | | |
| CP1 Jam Nut 58FHF516 | 2.00 | 2.86 | 5.72 | Remove and replace leaking ABS modulator air valves n/c on rear left and right side axles. After brake repairs and check out found both left and right valves leaking air when brakes applied. Locate new OEM valves. | | | | | |
| Brake Clean C32 | 4.00 | 6.32 | 25.28 | Disconnect lines and retainers. Remove ABS connectors. Remove valves. Install new ABS valves and secure with new through bolt | | | | | |
| Surf Cond Disc 7485 | 3.00 | 6.97 | 20.91 | retainers and support brackets with stud kit. Transfer fittings and seal. Reinstall all lines and secure. Install ABS adapter harness and plug into original harness and new valves. Insulate and secure. | | | | | |
| Emery Cloth | 20.00 | 0.84 | 16.80 | | | | | | |
| 05001 Corrosive Cmpd 97944 | 1.00 | 4.99 | 4.99 | Inspect problem with a/c. Front is warm, rear is cold. n/c Inspect operation of unit and found heater hoses causing less than efficient production for front of cab a/c. Unit is equipped one cable operated shut off valve however it is allowing coolant to pass | | | | | |
| Steel Pivot Bushing 60743 | 4.00 | 11.61 | 46.44 | according to laser temp readings on each side of valve. Recommend install of manual shut off valves to increase a/c | | | | | |
| Retaining Cmpd 4C-9507 | 1.00 | 13.77 | 13.77 | efficiency and stop hot coolant from passing through cab. Drain coolant and install manual shut off valves. n/c Drain engine coolant. Disconnect supply side heater hoses on rear | | | | | |
| Prem P Cast Brake Shoe 26000# SG4034515GG | 4.00 | 247.88 | 991.52 | of cylinder head and block. Using necessary fittings, valves and adapters install shut off valve set ups on both supply liens for each | | | | | |
| Anchor Pin Spring HDW Kit <i>KIT9081HD</i> | 2.00 | 29.32 | 58.64 | of the two heater cores in the cab. Seal and secure. Reconnect heater hoses and replace hose clamps. Fill system with coolant and bleed. Run unit with valves open in order to allow system to fill up. | | | | | |
| Syn Slide Lubricant <i>BK4</i> | 2.00 | 6.69 | 13.38 | Top off fluid as needed. Close valves and operate a/c. Found 10 degrees cooler in the front however road test revealed still not as | | | | | |
| Inner Wheel Nut 016-29856R | 2.00 | 11.21 | 22.42 | good as it could be. Perform a/c system service below and found 2 pound under charge. Charge with appropriate amount of fresh refrigerant and verify operation and duct temp to 50 degrees. | | | | | |

Ralco Equipment Company, Inc

We do the job once and we do it right!

Cumberland, Rhode Island. 02864-0035

Phone: 401-726-3095 Fax: 401-726-6950

51 Ralco Way/PO Box 35

www.ralcoinc.com

Visit us on the web :

Our Email Address: ralcotruck45@gmail.com

Ralco Equipment Company, Inc 51 Ralco Way/PO Box 35 Cumberland, Rhode Island. 02864-0035 Phone: 401-726-3095 Fax: 401-726-6950 We do the job once and we do it right! INVOICE 9688

Org. Est. # 016417 RI Inspect Station 155C ralcotruck45@gmail.com

INVOICE

Date: 07/02/2018

| | | V | 2004 Pierce - Fire Engine Apparatus - Cummins ISL | | | | |
|---|----------|----------|---|---|--|--|--|
| Cumberland Fire Department - Ch 3502 Mendon Road | | p. | Lic # : 1212 Odometer In : 96507 | | | | |
| Cumberland, RI 02864 | | | | Unit # : Engine 1 VIN # : 4P1CT02A2 4 A004083 | | | |
| Office 401-658-0544 Cellular 4 | 01-474-(|)314 Fin | | | | | |
| Part Description / Number | Qty | Sale | Ext | Labor Description Ext | | | |
| Outer Wheel Nut 016-31022R | 3.00 | 6.14 | 18.42 | Perform a/c system flush and service. n/c Evacuate system of any refrigerant using necessary equipment. | | | |
| Anti Seize Cmpd 80078 | 1.00 | 9.36 | 9.36 | Hook up to valves and vacuum system for 30 minutes. Allow unit to sit for one hour to check for vacuum leak down. Charge system with appropriate amount of refrigerant and oil. Check pressure readings | | | |
| Prem HD Bal Brake Drum 66884 | 2.00 | 256.12 | 512.24 | | | | |
| ABS Modulator Valve Assy <i>R950127</i> | 2.00 | 271.29 | 542.58 | During repairs found cab door hinges excessively loose on all doors where piano hinge bolts to cab and door. Tighten and secure all philips head retainers. Lube all hinges as needed. | | | |
| Adapter Harness 610449H | 2.00 | 46.84 | 93.68 | Labor Charge 2,733.38 Environmental Fee 15.95 | | | |
| L-Bracket 705268B | 2.00 | 22.15 | 44.30 | | | | |
| Mounting Bolt Kit 8B38X175CK | 6.00 | 2.49 | 14.94 | | | | |
| Threaded Stud Kit 8TSS16X400CK | 4.00 | 3.22 | 12.88 | | | | |
| HD Brass 90 Comp Fitting 50MP9050CMP | 2.00 | 11.34 | 22.68 | | | | |
| Male Hex Pipe Plug <i>38MPHB</i> | 2.00 | 4.27 | 8.54 | | | | |
| Rubber Flex Insulation 182040RFW | 2.00 | 3.16 | 6.32 | | | | |
| HOSE CLAMP 9242 | 4.00 | 5.37 | 21.48 | | | | |
| HD Brass 90 Deg Shut Off Valve TV405P-8-8 | 2.00 | 36.59 | 73.18 | | | | |
| Brass Reducer Bushing 75MPH50FMP | 1.00 | 6.67 | 6.67 | | | | |
| Brass 90 Street Elbow 50MP90SW | 1.00 | 10.72 | 10.72 | | | | |
| Brass Barb Nipple 50MPST58BRB | 3.00 | 8.99 | 26.97 | | | | |
| Brass 90 Barb Nipple 50MP9058BRB | 2.00 | 11.58 | 23.16 | | | | |
| HD Heater Hose 4 Ply 28441 | 6.00 | 5.67 | 34.02 | | | | |
| HOSE CLAMP 9210 | 9.00 | 4.04 | 36.36 | | | | |
| Barb Union Nipple 58BRBHX58BRB | 2.00 | 9.73 | 19.46 | | | | |
| VINYL INSUL CLAMP 38100IC | 4,00 | 3.78 | 15.12 | | | | |

Visit us on the web : www.ralcoinc.com

Ralco Equipment Company, Inc 51 Ralco Way/PO Box 35 Cumberland, Rhode Island. 02864-0035 Phone: 401-726-3095 Fax: 401-726-6950 We do the job once and we do it right!

Org. Est. # 016417 RI Inspect Station 155C ralcotruck45@gmail.com

Date: 07/02/2018

INVOICE

9688

INVOICE

| INVUICE | | | | | Date, 07102/2010 | | | |
|------------------------------|--------------|---------|---|----------------------------|--------------------|--|--|--|
| Cumberland Fire Department - | Chief Finlay | | 2004 Pierce - Fire Engine Apparatus - Cummins ISL | | | | | |
| 3502 Mendon Road | | | | Lic # : 1212 | Odometer In: 96507 | | | |
| Cumberland, RI 02864 | | | | Unit # : Engine 1 | | | | |
| Office 401-658-0544 Cellula | ar 401-474-0 | 314 Fin | | VIN # : 4P1CT02A2 4A004083 | | | | |
| Part Description / Number | Qty | Sale | Ext | Labor Description | Ext | | | |
| PROTECTIVE SPLIT LOOM | 14.00 | 2.26 | 31.64 | | | | | |
| 5-032 | | | | | | | | |
| EX Life Coolant | 7.50 | 9.08 | 68.10 | | | | | |
| AF3000 | | | | | | | | |
| Cap Screw Kit | 4.00 | 1.42 | 5.68 | | | | | |
| 8B516X125CK | | | | | | | | |
| O-RING | 2.00 | 5.97 | 11.94 | | | | | |
| 4259 | | | | | | | | |
| O-RING | 1.00 | 4.81 | 4.81 | | | | | |
| 4106 | | | | | | | | |
| Assy Lube | 1.00 | 6.78 | 6.78 | | | | | |
| SL3331 | (| 0.04 | 0.04 | | | | | |
| Aligning Pin | 1.00 | 8.64 | 8.64 | | | | | |
| 8247P | 4.00 | 0.47 | 0 47 | | | | | |
| Service Valve Core | 1.00 | 6.47 | 6.47 | | | | | |
| 2676 | 1.00 | 0.04 | 8.01 | | | | | |
| Service Valve Core 2677 | 1.00 | 8.01 | 0.01 | | | | | |
| A/C Flush Solvent | 2.50 | 28.11 | 70.28 | | | | | |
| 2032 | 2.50 | 20.11 | 10.20 | | | | | |
| Pag Refrig Oil | 6.75 | 8.84 | 59.67 | | | | | |
| 24680Z | 0.75 | 0.01 | 00.07 | | | | | |
| R134A | 8.25 | 24.89 | 205.34 | | | | | |
| 3030 | 0.20 | | 200.0 | | | | | |
| ENGINE OIL | 4.00 | 7.26 | 29.04 | | r | | | |
| 15W40 | | - | | | | | | |
| SS Thrust Head Bolt | 4.00 | 1.34 | 5.36 | | | | | |
| 5THB25X100SS | | | | | | | | |

5THB25X100SS Shop Supplies

[Recommendations]

Rear deck plate loose and banging, lights not working. Passenger side rear door strap needs repairs. Fuel tank needs to be cleaned, undercoated. Air valves in rear for brake supply and emergency activation corroding away. Recommend replacement. Recommend these repairs performed at July inspection period. Rear tires need replacement.

9.95

| Ralco Eq | uipm | INVOICE 9688 | | | |
|---|---|-------------------------------------|--------------------|--|--|
| 51 Ralco V | | | | | |
| Phone: 407 | Cumberland, Rhode Island. 02864-0035 Phone: 401-726-3095 Fax: 401-726-6950 We do the job once and we do it right! | | | | |
| INVOICE | | | Date: 07/02/2018 | | |
| Cumberland Fire Department - Chief Finlay | | 2004 Pierce - Fire Engine Apparatus | - Cummins ISL | | |
| 3502 Mendon Road | | Lic # : 1212 | Odometer In: 96507 | | |
| Cumberland, RI 02864 | | Unit # : Engine 1 | | | |
| Office 401-658-0544 Cellular 401-474-0314 Fin | | VIN #:4P1CT02A2 4A004083 | | | |
| Part Description / Number Qty Sale | Ext | Labor Description | Ext | | |

| Org. Estimate 6, | ,811.67 | Revisions | 0.00 | Current Estimate | 6,811.67 | | Labor: | 2,733.38 |
|--|-------------|------------------|--------------|----------------------------|---|--|-----------------------|----------------|
| | | | | | | | Parts: | 4,062.34 |
| | | | | | | | HazMat: | 15.95 |
| | | | | | | | SubTotal: | 6,811.67 |
| | | | | | | | Tax: | 0.00 |
| | | | | | | | Total: | 6,811.67 |
| [Payments -] | | | | | | | Bal Due: | \$6,811.67 |
| Vehicle Received: 7/ | /2/2018 | | | | | | Custome | r Number : 934 |
| purpose of testing and payable upon | and/or insp | ection. An expre | ess mechanic | s lien is hereby acknowled | lged on above car or to is contract shall be pai | to operate the car or truck herein descr ruck to secure the amount of repairs the id to Ralco Equip Co by the undersigne | ereto. All sums shall | |
| Signature | | | | | Dat | | | |
| Visit us on the w | veb: | www.ralcoinc | .com | | | Our Email Address: | ralcotruck45@c | imail.com |

Copyright (c) 2018 Mitchell Repair Information Company, LLC invhrs 9.15.17d